



USK - 1000 TB

CARBOXYMETHYL CELLULOSE (CMC) TECHNICAL DATA SHEET

| | |
|-------------|--|
| DEFINITION | WATER SOLUBLE ANIONIC POLYMER DERIVED FROM CELLULOSE |
| GRADE | TECHNICAL |
| CODE | USK - 1000 TB |
| FUNCTION | ADHESIVE & THICKENING |
| APPLICATION | WALLPAPER & PASTE DETERGENTS |

SPECIFICATIONS

| ANALYSIS | RANGE |
|---------------------------------|--|
| Moisture % | 6 - 10 |
| Active Material % (dry basis) | min. 60 |
| Degree of Substitution - DS | 0,5 - 0,7 |
| Viscosity %2 - 25°C Brookfield | min. 500 |
| pH (% 1) | 6 - 11 |
| Bulk Density (g/L) | 500 - 700 |
| Appearance | Free Flowing EXTRA White Fine Powder or Granular |
| Test Methods | ASTM & TSE |
| Packing | Net 25kgs 3ply Kraft Paper Bags With 1 PE Bag Inside & Big Bags |
| Handling & Storage | USK Brand CMC is not a dangerous item for for purposes of transport regulations Bags should be stored cool and dry indoors. |

UGUR SELULOZ KIMYA MAKINA ve GIDA SAN. ve TIC. A.S.
Organize Sanayi Bolgesi 09630 Umurlu / AYDIN, TURKEY



The above information is best to our knowledge and provided for manufacturing purposes. UGUR SELULOZ KIMYA makes no warranty or guarantee concerning the handling, use or application of such product whether alone or in combination with other products in case an unexpected events occur. Users are advised to make their own tests to determine the suitability and performance of the product. USK is the registered trademark of UGUR SELULOZ KIMYA.